SAFETY DATA SHEET SA CERT ORGANIC ROSEMARY OIL (CINEOL TYPE)

SECTION 1: Identification of the	he substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	SA CERT ORGANIC ROSEMARY OIL (CINEOL TYPE)
Product number	90011
CAS number	84604-14-8
EC number	283-291-9
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Concentrated material for manufacturing purposes only.
1.3. Details of the supplier of the supplier of the supplier of the supplier of the supplication of the su	he safety data sheet
Supplier	Ancient Wisdom Marketing Ltd
	Block B
	Parkwood Business Park
	75 Parkwood Road
	Sheffield
	S3 8AL
	+44 (0) 114 2729165
1.4. Emergency telephone nur Emergency telephone	mber +44 (0) 114 2729165
SECTION 2: Hazards identification	ation
2.1. Classification of the subst	ance or mixture
Classification	
Physical hazards	Flam. Liq. 3 - H226
Health hazards	Skin Irrit. 2 - H315 Skin Sens. 1 - H317 STOT SE 2 - H371 Asp. Tox. 1 - H304
Environmental hazards	
	Aquatic Chronic 2 - H411
	Aquatic Chronic 2 - H411 Xn; R65, R68/22. Xi; R38. N; R51/53. R10, R43
Classification (67/548/EEC or	
Classification (67/548/EEC or 1999/45/EC)	
Classification (67/548/EEC or 1999/45/EC) 2.2. Label elements	Xn; R65, R68/22. Xi; R38. N; R51/53. R10, R43

Signal word	Danger
Hazard statements	H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H371 May cause damage to organs if swallowed. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing vapour/spray. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
Contains	PIN-2(3)-ENE (ALPHA-PINENES), CAMPHOR, PIN-2(10)-ENE (BETA-PINENES), BETA- CARYOPHYLLENE , CAMPHENE , LIMONENE, p-CYMENE , MYRCENE
Supplementary precautionary statements	 P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour/spray. P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P308+P311 IF exposed or concerned: Call a POISON CENTER or doctor. P331 Do NOT induce vomiting. P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P391 Collect spillage. P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container in accordance with national regulations.
2.3. Other hazards	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

CAMPHOR

CAS number: 76-22-2

EC number: 200-945-0

10-30%

Classification

Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Acute Tox. 4 - H332 STOT SE 2 - H371 Classification (67/548/EEC or 1999/45/EC) Xn; R68/22, R20/22. R10

PIN-2(3)-ENE (ALPHA-PINENES)		10-30%
CAS number: 80-56-8	EC number: 201-291-9	
Classification Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Asp. Tox. 1 - H304	Classification (67/548/EEC or 1999/45/EC) Xn; R65. Xi; R38. R43	
PIN-2(10)-ENE (BETA-PINENES)		10-30%
CAS number: 127-91-3	EC number: 204-872-5	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1B - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (67/548/EEC or 1999/45/EC) Xn; R65. Xi; R38. N; R50/53. R43, R10	
LINALOOL CAS number: 78-70-6	EC number: 201-134-4	5-10%
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	Classification (67/548/EEC or 1999/45/EC) Xi; R36/38	
BETA-CARYOPHYLLENE CAS number: 87-44-5	EC number: 201-746-1	5-10%
Classification Asp. Tox. 1 - H304	Classification (67/548/EEC or 1999/45/EC) Xn; R65	
LIMONENE CAS number: 138-86-3 M factor (Acute) = 1	EC number: 205-341-0 M factor (Chronic) = 1	5-10%
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (67/548/EEC or 1999/45/EC) Xn; R65. Xi; R38. N; R50/53. R10, R43	

CAMPHENE		5-10%
CAS number: 79-92-5	EC number: 201-234-8	
M factor (Acute) = 1		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Flam. Liq. 3 - H226	Xn; R65. Xi; R36. N; R50, R51/53. R10	
Eye Irrit. 2 - H319		
Asp. Tox. 1 - H304		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		
ALPHA-TERPINEOL		1-5%
CAS number: 10482-56-1	EC number: 233-986-8	
	Classification (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315	Xi; R36/38	
Eye Irrit. 2 - H319		
MYRCENE		1-5%
CAS number: 123-35-3	EC number: 204-622-5	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Flam. Liq. 3 - H226	Xn; R65. Xi; R36/38. R10	
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Asp. Tox. 1 - H304		
p-CYMENE		1-5%
CAS number: 99-87-6	EC number: 202-796-7	10/0
	Classification (67/548/EEC or 1999/45/EC)	
Flam. Liq. 3 - H226 Asp. Tox. 1 - H304	Xn; R65. N; R51/53. R10	
Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411		
The Full Text for all R-Phrase	es and Hazard Statements are Displayed in Section 16.	
SECTION 4: First aid measu	res	
4.1. Description of first aid m	easures	
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort co	ontinues.
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.	tion

Skin contactRemove contaminated clothing immediately and wash skin with soap and water. Get medical
attention if symptoms are severe or persist after washing.

Eye contactRemove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of
water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort
continues.

4.2. Most important symptoms	and effects, both acute and delayed
General information	Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. See Section 11 for additional information on health hazards.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations.
SECTION 5: Firefighting meas	ures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with the following media: Foam, carbon dioxide or dry powder.
Unsuitable extinguishing media	Water.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	Toxic gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Containers close to fire should be removed or cooled with water.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental releas	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	tective equipment and emergency procedures Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage.
· · · · · ·	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage.
Personal precautions	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage.
Personal precautions 6.2. Environmental precautions	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. S Do not discharge into drains or watercourses or onto the ground.
Personal precautions 6.2. Environmental precautions Environmental precautions	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. S Do not discharge into drains or watercourses or onto the ground.
Personal precautions 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. Do not discharge into drains or watercourses or onto the ground. containment and cleaning up Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.
Personal precautions 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for Methods for cleaning up	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. S Do not discharge into drains or watercourses or onto the ground. Containment and cleaning up Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage.
Personal precautions 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for Methods for cleaning up 6.4. Reference to other section	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. Do not discharge into drains or watercourses or onto the ground. containment and cleaning up Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage. Is
Personal precautions 6.2. Environmental precautions Environmental precautions 6.3. Methods and material for Methods for cleaning up 6.4. Reference to other section SECTION 7: Handling and sto	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. Do not discharge into drains or watercourses or onto the ground. containment and cleaning up Keep combustible materials away from spillage. Eliminate all sources of ignition. Provide adequate ventilation. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Wash thoroughly after dealing with a spillage. Is

7.2. Conditions for safe storage, including any incompatibilities

Storage precautionsStore in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away
from heat, sparks and open flame. Protect from freezing and direct sunlight.

7.3. Specific end use(s)

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAMPHOR

Long-term exposure limit (8-hour TWA): WEL 2 ppm 13 mg/m³ Short-term exposure limit (15-minute): WEL 3 ppm 19 mg/m³

WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment





Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact. Wear apron or protective clothing in case of contact.
Hygiene measures	No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
Environmental exposure controls	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.
SECTION 9: Physical and C	hemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Colourless to pale yellow.
Odour	Characteristic.
Flash point	41°C
Relative density	~ 0.910 @ 20°C
9.2. Other information	
Refractive index	~1.471 @ 20°C

SECTION 10: Stability a	and reactivity
10.1. Reactivity	
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures.
10.3. Possibility of haza	ardous reactions
Possibility of hazardous reactions	s Will not polymerise.
10.4. Conditions to avo	id
Conditions to avoid	Avoid heat, flames and other sources of ignition.
10.5. Incompatible mate	erials
Materials to avoid	Strong oxidising agents. Strong acids. Strong alkalis.
10.6. Hazardous decom	nposition products
Hazardous decompositi products	ion Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
SECTION 11: Toxicolog	gical information
11.1. Information on tox	xicological effects
Acute toxicity - oral	
ATE oral (mg/kg)	8,733.33333333
Acute toxicity - inhalatic ATE inhalation (dusts/m mg/l)	
Ingestion	May be fatal if swallowed and enters airways.
Skin contact	Irritating to skin. May cause an allergic skin reaction.
Toxicological information	on on ingredients.
	CAMPHOR
Acute toxi	city - oral
Acute toxi mg/kg)	city oral (LD₅o 1,310.0
Species	Mouse
ATE oral ((mg/kg) 1,310.0
Acute toxi	city - inhalation
ATE inhala (dusts/mis	ation 1.01

Ecotoxicity

Toxic to aquatic life with long lasting effects.

12.1. Toxicity

Ecological information on ingredients.

PIN-2(10)-ENE (BETA-PINENES)

Acute aquatic tox	icity
LE(C)₅₀	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
Chronic aquatic to	oxicity
M factor (Chronic) 1
	LIMONENE
Acute aquatic tox	icity
LE(C)50	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
Chronic aquatic to	oxicity
M factor (Chronic	;) 1
	CAMPHENE
Acute aquatic tox	icity
LE(C)50	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
12.2. Persistence and degrada	ability
Persistence and degradability	The product is expected to be biodegradable.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
12.4. Mobility in soil	
Mobility	The product is insoluble in water.
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
SECTION 13: Disposal conside	erations
13.1. Waste treatment method	S

Disposal methods

Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport inform	nation
14.1. UN number	
UN No. (ADR/RID)	1169
UN No. (IMDG)	1169
UN No. (ICAO)	1169
UN No. (ADN)	1169
14.2. UN proper shipping nam	e
Proper shipping name (ADR/RID)	EXTRACTS, AROMATIC, LIQUID
Proper shipping name (IMDG)	EXTRACTS, AROMATIC, LIQUID
Proper shipping name (ICAO)	EXTRACTS, AROMATIC, LIQUID
Proper shipping name (ADN)	EXTRACTS, AROMATIC, LIQUID
14.3. Transport hazard class(e	es)
ADR/RID class	3
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3
Transport labels	
14.4. Packing group	
ADR/RID packing group	111
IMDG packing group	III
ADN packing group	111
ICAO packing group	111
14.5. Environmental hazards	
Environmentally hazardous su	bstance/marine pollutant
No.	
14.6. Special precautions for u	
EmS	F-E, S-D
ADR transport category	3
Emergency Action Code	3Y

Hazard Identification Number 30 (ADR/RID)

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
--

EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
	Chemicals (REACH) (as amended).
Guidance	Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

SECTION 16: Other information

Key literature references and sources for data	European Chemicals Agency, http://echa.europa.eu/
Issued by	Regulatory Manager
Revision date	29/05/2015
Revision	0
Risk phrases in full	 R10 Flammable. R20/22 Harmful by inhalation and if swallowed. R36 Irritating to eyes. R36/38 Irritating to eyes and skin. R38 Irritating to skin. R43 May cause sensitisation by skin contact. R50 Very toxic to aquatic organisms. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R65 Harmful: may cause lung damage if swallowed. R68/22 Harmful: possible risk of irreversible effects if swallowed.
Hazard statements in full	 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H371 May cause damage to organs (Central nervous system, Kidneys) if swallowed. H371 May cause damage to organs if swallowed. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.