Printing date 17.03.2016 Revision: 17.03.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

. 1.1 Product identifier

. Trade name: YLANG I

. Article number: PLAUK211

. 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

. Application of the substance / the mixture Multi uses

. 1.3 Details of the supplier of the safety data sheet

. Manufacturer/Supplier:

ANCIENT WISDOM MARKETING LTD

BLOCK B, PARKWOOD BINESS PARK, 75 PARKWOOD ROAD,

SHEFFIELD, S3 8AL, UK

TEL + 44(0)1142729165

FAX + 44 (0)114 2706571

- . Further information obtainable from: Department Essential Oils
- . 1.4 Emergency telephone number: + 44 (0)114 2729165

SECTION 2: Hazards identification

- . 2.1 Classification of the substance or mixture
- . Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Repr. 2 H361 Suspected of damaging fertility or the unborn child.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- . 2.2 Label elements
- . Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

. Hazard pictograms





GHS07

GHS08

- . Signal word Warning
- . Hazard-determining components of labelling:

Geranyl Acetate

4-methylanisole

Alpha pinene

Eugenol

Printing date 17.03.2016 Revision: 17.03.2016

Trade name: YLANG I

(Contd. of page 1)

Geraniol

Benzyl salicylate

. Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

11319 Causes serious eye irritation.

H317 May cause an allergic skin reaction. H361 Suspected of damaging fertility or the unborn child.

H412 Harmful to aquatic life with long lasting effects.

. Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

. 2.3 Other hazards

. Results of PBT and vPvB assessment

. **PBT:** Not applicable. . **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

. 3.2 Chemical characterisation: Mixtures

. **Description:** NCS (UVCB) Constituents Information

. hazardous compone	nts:	
CAS: 140-11-4 EINECS: 205-399-7	benzyl acetate Aquatic Chronic 3, H412	10-25%
CAS: 105-87-3 EINECS: 203-341-5	Geranyl Acetate Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	
CAS: 78-70-6	Linalool Skin Irrit. 2, H315; Eye Irrit. 2, H319	10-25%
CAS: 120-51-4 EINECS: 204-402-9	Benzyl benzoate Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302	10-25%
CAS: 104-93-8 EINECS: 203-253-7	4-methylanisole The property of the property	2.5-10%
CAS: 93-58-3 EINECS: 202-259-7	methyl benzoate ••• Acute Tox. 4, H302	2.5-10%
CAS: 118-58-1 EINECS: 204-262-9	Benzyl salicylate Skin Sens. 1B, H317; Aquatic Chronic 3, H412	≤ 2.5%
CAS: 97-53-0 EINECS: 202-589-1	Eugenol	≤ 2.5%
CAS: 106-24-1 EINECS: 203-377-1	Geraniol ♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317	≤ 2.5%
CAS: 80-56-8 EINECS: 201-291-9	Sens. 1, H317	≤ 2.5%

(Contd. on page 3)

Printing date 17.03.2016 Revision: 17.03.2016

Trade name: YLANG I

(Contd. of page 2)

. Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- . 4.1 Description of first aid measures
- . General information: Immediately remove any clothing soiled by the product.
- . After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air.

. After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

. After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- . After swallowing: Inform doctor. Do not give milk or fatty oils.
- . 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- . 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- . 5.1 Extinguishing media
- . Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- . For safety reasons unsuitable extinguishing agents: Water with full jet
- . 5.2 Special hazards arising from the substance or mixture Carbon monoxide (CO)
- . 5.3 Advice for firefighters
- . Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- . 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- . 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

. 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

. 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB

Printing date 17.03.2016 Revision: 17.03.2016

Trade name: YLANG I

(Contd. of page 3)

SECTION 7: Handling and storage

. 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- . Information about fire and explosion protection: Keep respiratory protective device available.
- . 7.2 Conditions for safe storage, including any incompatibilities
- . Storage:
- . Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- . Information about storage in one common storage facility: Not required.
- . Further information about storage conditions:

Keep receptacle tightly sealed.

Store in the dark.

. 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- . Additional information about design of technical facilities: No further data; see item 7.
- . 8.1 Control parameters
- . Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- . Additional information: The lists valid during the making were used as basis.
- . 8.2 Exposure controls
- . Personal protective equipment:
- . General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

- . Respiratory protection: Not required.
- . Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

. Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Printing date 17.03.2016 Revision: 17.03.2016

Trade name: YLANG I

(Contd. of page 4)

. Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

. Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- . 9.1 Information on basic physical and chemical properties
- . General Information
- . Appearance:

Form: Liquid

Colour: According to product specification

. Odour: Characteristic

. Change in condition

Melting point/Melting range: Undetermined.

- . Flash point (closed cup ASTM D6450): 87 °C
- . Flammability (solid, gaseous): Not applicable.
- . Ignition temperature:

Decomposition temperature: Not determined.

. Self-igniting: Product is not selfigniting.

. Danger of explosion: Product does not present an explosion hazard.

. Density:

Evaporation rate Not determined.

. Solubility in / Miscibility with

water: Not miscible or difficult to mix.

. **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- . 10.1 Reactivity No further relevant information available.
- . 10.2 Chemical stability
- . Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- . 10.3 Possibility of hazardous reactions No dangerous reactions known.
- . 10.4 Conditions to avoid No further relevant information available.
- . 10.5 Incompatible materials: No further relevant information available.
- . 10.6 Hazardous decomposition products: No dangerous decomposition products known.

GB

Printing date 17.03.2016 Revision: 17.03.2016

Trade name: YLANG I

(Contd. of page 5)

SECTION 11: Toxicological information

- . 11.1 Information on toxicological effects
- . Acute toxicity Based on available data, the classification criteria are not met.

. LD/LC50 values relevant for classification:				
105-87-3 Geranyl Acetate				
Oral	LD50	6300 mg/kg (RAT)		
120-51-4 Benzyl benzoate				
		500 mg/kg (rat)		
Dermal	LD50	4000 mg/kg (rat)		

- . Primary irritant effect:
- . Skin corrosion/irritation

Causes skin irritation.

. Serious eye damage/irritation

Causes serious eye irritation.

. Respiratory or skin sensitisation

May cause an allergic skin reaction.

- . CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- . Germ cell mutagenicity Based on available data, the classification criteria are not met.
- . Carcinogenicity Based on available data, the classification criteria are not met.
- . Reproductive toxicity

Suspected of damaging fertility or the unborn child.

- . STOT-single exposure Based on available data, the classification criteria are not met.
- . STOT-repeated exposure Based on available data, the classification criteria are not met.
- . Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- . 12.1 Toxicity
- . Aquatic toxicity: No further relevant information available.
- . 12.2 Persistence and degradability No further relevant information available.
- . 12.3 Bioaccumulative potential No further relevant information available.
- . 12.4 Mobility in soil No further relevant information available.
- . Ecotoxical effects:
- . Remark: Harmful to fish
- . Additional ecological information:
- . General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- . 12.5 Results of PBT and vPvB assessment
- . **PBT:** Not applicable.
- . vPvB: Not applicable.
- . 12.6 Other adverse effects No further relevant information available.

GB

Printing date 17.03.2016 Revision: 17.03.2016

Trade name: YLANG I

(Contd. of page 6)

SECTION 13: Disposal considerations

- . 13.1 Waste treatment methods
- . Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- . Uncleaned packaging:
- . Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informat	w
14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Anne Marpol and the IBC Code	e x II of Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
ADR Remarks:	not dangerous
ADN Remarks:	not dangerous
IMDG Remarks:	not dangerous
IATA Remarks:	not dangerous
UN ''Model Regulation'':	Void

SECTION 15: Regulatory information

- . 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- . *Directive* 2012/18/EU
- . Named dangerous substances ANNEX I None of the ingredients is listed.
- . 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 17.03.2016 Revision: 17.03.2016

Trade name: YLANG I

(Contd. of page 7)

SECTION 16: Other information

. Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

. Department issuing MSDS: Department Essentials Oils

. Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

 $vPvB: \ very \ Persistent \ and \ very \ Bioaccumulative$

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B

Repr. 2: Reproductive toxicity, Hazard Category 2

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3